



Cambridge Assessment International Education

Cambridge International Advanced Subsidiary and Advanced Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDATE NUMBER		

CHEMISTRY 9701/22

Paper 2 AS Level Structured Questions

February/March 2019

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: Data Booklet

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

This document consists of 14 printed pages and 2 blank pages.



Answer **all** the questions in the spaces provided.

1

Nitroge	n, N ₂ , is the most abundant gas in the Earth's atmosphere and is very unreactive.
(a) St	ate why N ₂ is very unreactive.
	[1]
(b) Ma	agnesium and lithium both form nitrides with $\rm N_2$. These compounds both contain the $\rm N^{3-}$ ion.
(i)	Write an equation for the reaction of magnesium with N_2 to form magnesium nitride.
	[1]
(ii)	Solid lithium nitride, Li ₃ N, reacts with water according to the following equation.
	$Li_3N(s) + 3H_2O(l) \rightarrow 3LiOH(aq) + NH_3(aq)$
	State one observation you would make during this reaction.
	[1]
(c) (i)	State the industrial importance of ammonia.
	[1]
(ii)	One method of producing NH ₃ is by heating ammonium chloride, NH ₄ C <i>l</i> , with CaO.
	$2NH_4Cl + CaO \rightarrow 2NH_3 + CaCl_2 + H_2O$
	Explain why the reaction of NH ₄ C <i>l</i> with CaO produces ammonia.
	rei

1	A)	Three oxides of nitrogen,	NO	NO and N () can be formed	under different conditions
١	u,	THICC OXIGCS OF HILLOGOTI,	INO,	, INO 2 and IN2	o, can be formed	under unicitetit conditions.

(i) Complete the table to give the oxidation numbers of nitrogen in NO and NO₂.

compound	NO	NO ₂
oxidation number of N		

[1]

(ii) NO₂ can be formed by different chemical reactions.

Write equations for the formation of NO₂ by:

the reaction of N₂ with O₂

the thermal decomposition of magnesium nitrate.

[2]

(iii) Molecules of N_2O can be formed by the reaction between N_2 and N_2 . The bond between the N and O atoms (N-O) is a co-ordinate (dative covalent) bond.

$$2N_2(g) + O_2(g) \rightarrow 2N \equiv N \rightarrow O(g)$$

The enthalpy change of reaction for this reaction is +82 kJ mol⁻¹.

Calculate the bond enthalpy, in $kJ \text{ mol}^{-1}$, of the $N \rightarrow O$ bond.

Use relevant data from the *Data Booklet* to answer this question.

bond enthalpy of the N→O bond =kJ mol⁻¹

[2]

(e) Nitrosyl chloride, NOCl, is a reactive gas that is sometimes formed when NO reacts with Cl_2 .

nitrosyl chloride

NOC*l* is a strong electrophile and readily undergoes an addition reaction with alkenes.

Complete the diagram to show the mechanism of the electrophilic addition reaction of NOC1 with ethene.

Include all necessary charges, lone pairs and curly arrows, and the structure of the organic intermediate.

[Total: 13]

[2]

2 The elements in Group 17 of the Periodic Table are called the halogens. They form stable compounds with both metals and non-metals.

The table gives some data about F_2 , HCl and CaF_2 .

	F ₂	HC1	CaF ₂
boiling point/K	85	188	2773
relative formula mass	38.0	36.5	78.1

(a) (i)	State what is meant by the term <i>relative formula mass</i> .
	[2]
(ii)	F_2 and HC l are both covalent molecules.
	Suggest why the boiling point of HCl is higher than that of F_2 .
	[2]
(iii)	Explain why CaF ₂ has a very high boiling point.
	[1]
(iv)	CaF ₂ (aq) can be made by the reaction of calcium carbonate with hydrofluoric acid, HF(aq).
	Write an equation for this reaction. Include state symbols.
	[2]

(b) (i)	Complete the electronic configuration of a chloride ion.
	1s ² [1]
(ii)	When Cl_2 is passed over hot iron, $FeCl_3$ is formed.
	However, when $I_2(g)$ is passed over hot iron, the following reaction occurs.
	$Fe(s) + I_2(g) \rightarrow FeI_2(s)$
	State what you would observe during the reaction between Fe and $\rm I_2$. Explain why $\rm FeI_2(s)$ is formed rather than $\rm FeI_3(s)$.
	observation
	explanation
	[2]
(iii)	FeI ₂ is soluble in water.
	A student carries out a chemical test to confirm that a solution of FeI_2 contains aqueous iodide ions, $\mathrm{I}^{\text{-}}(\mathrm{aq})$. The student adds a single reagent and a precipitate forms.
	Identify the reagent the student uses. State the colour of the precipitate that forms.
	reagent
	colour of precipitate
	[2]
(iv)	Compounds containing I^- are often contaminated by bromide ions, Br^- .
	Identify a further reagent that the student could use to show that the precipitate formed in (iii) contained iodide ions.
	[1]

- (c) HOF is the only known molecule that contains only the elements hydrogen, oxygen and fluorine.
 - (i) Draw a 'dot-and-cross' diagram to represent the bonding in a molecule of HOF.

Show the outer shell electrons only.

[2]

(ii) HOF can be made by the reaction of F_2 with ice at $-40\,^{\circ}$ C. The reaction is similar to the reaction of Cl_2 with cold water.


Suggest an equation for the reaction of F_2 with ice.

______[1]

(iii) HOF is an unstable compound and decomposes to form HF and O_2 .

$$HOF \rightarrow HF + \frac{1}{2}O_2$$
 $\Delta H = -139 \text{ kJ mol}^{-1}$

Draw a fully labelled reaction pathway diagram on the axes provided to show the decomposition of HOF into HF and $\rm O_2$.




[2]

		0
	(iv)	Pure HF is a colourless liquid at 273 K. The liquid contains HF molecules that have strong hydrogen bonds between them.
		Draw a fully labelled diagram to suggest how a hydrogen bond can form between two HF molecules.
		[3]
(d)		erhalogen compounds, such as $\mathrm{BrC}l$ or IF_5 , contain two or more different halogen atoms tare covalently bonded.
	D is	an interhalogen compound that contains only chlorine and fluorine.
	At 0	0°C and 101325Pa, 1dm³ of D has a mass of 4.13g.
	(i)	Use the general gas equation to calculate the relative molecular mass, $M_{\rm r}$, of ${\bf D}$.
		$M_{\rm r} = \dots$ [3]
	(ii)	Use your answer to (i) to determine the molecular formula of D .
		If you were unable to calculate the M_r in (i), assume that the M_r is 130.5. This is not the correct value.
		molecular formula of D =[1]

[Total: 25]

Question 3 starts on the next page.

3 P, Q and R all contain five carbon atoms.



A student carries out several tests to distinguish between P, Q and R.

(a) Complete the table, identifying any observations for the reaction of each reagent with P, Q and R.

If no reaction occurs, write 'no reaction'.

roagont	observations with					
reagent	Р	Q	R			
Na(s)						
2,4-DNPH	no reaction					
acidified K ₂ Cr ₂ O ₇ (aq)	no reaction					

[3]

(b) **Q** is reduced by NaBH₄.

Write an equation for the reaction of **Q** with NaBH₄.

In your answer, use [H] to represent NaBH₄.

$$C_5H_{10}O$$
 +[1]

(c) R exists as a pair of stereoisomers.


 $Identify the type of stereo isomerism shown by {\bf R} \ and \ draw \ the structure \ of the \ other stereo isomer.$

type of stereoisomerism

stereoisomer of R	

[2]

(d) The infra-red spectrum shown corresponds to one of P, Q or R.



Deduce which of the compounds, **P**, **Q** or **R**, produces this spectrum. Explain your reasoning.


In your answer, identify any relevant absorptions in the infra-red spectrum and the bonds that correspond to these absorptions in the region **above** 1500 cm⁻¹.

compound	
explanation	

[Total: 9]

Allyl chi pesticid	loride is an important chemical used in the manufacture of plastics, pharmaceuticals and es.
	allyl chloride
	Cl
(a) Giv	re the systematic name of allyl chloride.
	[1]
	or chloride can be produced by many different methods. The most common method is or or propene which proceeds via a free-radical substitution mechanism.
	Cl_2 Cl
(i)	The initiation step in this reaction is the formation of chlorine radicals (C l^{\bullet}) from C l_2 molecules.
	State the conditions required to initiate this reaction.
	[1]
(ii)	The propenyl radical, CH ₂ =CHCH ₂ •, is formed in the first propagation step of the reaction.
	Write an equation to show the formation of CH ₂ =CHCH ₂ • in this propagation step.
	[1]
(iii)	Explain why the free-radical substitution reaction gives a low yield of allyl chloride.
	[1]
(iv)	Allyl chloride can also be formed by the following substitution reaction.
	OH reagent X Cl
	Suggest the identity of reagent X .
	[1]

(c) A series of reactions starting from allyl chloride is shown.



(iv) The organic product of reaction 3 is Y.

Y can be hydrolysed using excess aqueous H₂SO₄ to form **Z**.

The molecular formula of **Z** is $C_4H_8O_4$.

Draw the structure of **Z**.

(d) 2-bromo-1-chloropropane, CH₃CHBrCH₂C*l*, is the major product of the reaction of allyl chloride with HBr.

	major product	minor product	
Cl HBr	Br Cl	and Br	_C1
Explain why 2-bromo-1-chloropropane is the major product of this reaction.			
	•		
			[2]
			[Total: 13]

15

BLANK PAGE

16

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.